

## Environmental Protection Agency

## § 143.4

year. Such term includes (1) any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (2) any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. A public water system is either a "community water system" or a "non-community water system."

(d) *State* means the agency of the State or Tribal government which has jurisdiction over public water systems. During any period when a State does not have responsibility pursuant to section 1443 of the Act, the term "State" means the Regional Administrator, U.S. Environmental Protection Agency.

(e) *Supplier of water* means any person who owns or operates a public water system.

(f) *Secondary maximum contaminant levels* means SMCLs which apply to public water systems and which, in the judgement of the Administrator, are requisite to protect the public welfare. The SMCL means the maximum permissible level of a contaminant in water which is delivered to the free flowing outlet of the ultimate user of public water system. Contaminants added to the water under circumstances controlled by the user, except those resulting from corrosion of piping and plumbing caused by water quality, are excluded from this definition.

[44 FR 42198, July 19, 1979, as amended at 53 FR 37412, Sept. 26, 1988]

### § 143.3 Secondary maximum contaminant levels.

The secondary maximum contaminant levels for public water systems are as follows:

Contaminant	Level
Aluminum .....	0.05 to 0.2 mg/l.
Chloride .....	250 mg/l.
Color .....	15 color units.
Copper .....	1.0 mg/l.
Corrosivity .....	Non-corrosive.
Fluoride .....	2.0 mg/l.

Contaminant	Level
Foaming agents .....	0.5 mg/l.
Iron .....	0.3 mg/l.
Manganese .....	0.05 mg/l.
Odor .....	3 threshold odor number.
pH .....	6.5–8.5.
Silver .....	0.1 mg/l.
Sulfate .....	250 mg/l.
Total dissolved solids (TDS) .....	500 mg/l.
Zinc .....	5 mg/l.

These levels represent reasonable goals for drinking water quality. The States may establish higher or lower levels which may be appropriate dependent upon local conditions such as unavailability of alternate source waters or other compelling factors, provided that public health and welfare are not adversely affected.

[44 FR 42198, July 19, 1979, as amended at 51 FR 11412, Apr. 2, 1986; 56 FR 3597, Jan. 30, 1991]

### § 143.4 Monitoring.

(a) It is recommended that the parameters in these regulations should be monitored at intervals no less frequent than the monitoring performed for inorganic chemical contaminants listed in the National Interim Primary Drinking Water Regulations as applicable to community water systems. More frequent monitoring would be appropriate for specific parameters such as pH, color, odor or others under certain circumstances as directed by the State.

(b) Measurement of pH, copper and fluoride to determine compliance under §143.3 may be conducted with one of the methods in §141.23(k)(1). Analyses of aluminum, chloride, foaming agents, iron, manganese, odor, silver, sulfate, total dissolved solids (TDS) and zinc to determine compliance under §143.3 may be conducted with the methods in the following table. Criteria for analyzing aluminum, copper, iron, manganese, silver and zinc samples with digestion or directly without digestion, and other analytical test procedures are contained in *Technical Notes on Drinking Water Methods*, EPA-600/R-94-173, October 1994, which is available at NTIS PB95-104766.

Contaminant	EPA	ASTM <sup>3</sup>	SM <sup>4</sup> 18th and 19th ed.	SM <sup>4</sup> 20th ed.	Other
1. Aluminum .....	200.7 <sup>2</sup> .....	.....	3120 B .....	3120 B.	

Contaminant	EPA	ASTM <sup>3</sup>	SM <sup>4</sup> 18th and 19th ed.	SM <sup>4</sup> 20th ed.	Other
2. Chloride .....	200.8 <sup>2</sup> .....	.....	3113 B. 3111 D. 4110 B .....	4110 B. 4500—Cl <sup>−</sup> D .....	I–3720–85 <sup>5</sup>
.....	200.9 <sup>2</sup> .....	.....	4500—Cl <sup>−</sup> B .....	4500—Cl <sup>−</sup> B.	
.....	300.0 <sup>1</sup> .....	D4327–97 .....	2120 B .....	2120 B.	
.....	.....	D512–89B .....	5540 C .....	5540 C.	
3. Color .....	.....	.....	3120 B .....	3120 B.	
4. Foaming Agents .....	.....	.....	3111 B. 3113 B.	.....	
5. Iron .....	200.7 <sup>2</sup> .....	.....	3120 B .....	3120 B.	
.....	200.9 <sup>2</sup> .....	.....	3111 B. 3113 B.	.....	
6. Manganese .....	200.7 <sup>2</sup> .....	.....	2150 B .....	2150 B.	
.....	200.8 <sup>2</sup> .....	.....	3120 B .....	3120 B .....	
.....	200.9 <sup>2</sup> .....	.....	3111 B. 3113 B.	.....	
7. Odor .....	.....	.....	4110 B .....	4110 B.	I–3720–85 <sup>5</sup>
8. Silver .....	200.7 <sup>2</sup> .....	.....	4500—SO <sub>4</sub> <sup>2−</sup> F .....	4500—SO <sub>4</sub> <sup>2−</sup> F.	
.....	200.8 <sup>2</sup> .....	.....	4500—SO <sub>4</sub> <sup>2−</sup> C, D.	4500—SO <sub>4</sub> <sup>2−</sup> C, D.	
.....	200.9 <sup>2</sup> .....	.....	4500—SO <sub>4</sub> <sup>2−</sup> E .....	4500—SO <sub>4</sub> <sup>2−</sup> E.	
9. Sulfate .....	300.0 <sup>1</sup> .....	D4327–97 .....	2540 C .....	2540 C.	
.....	375.2 <sup>1</sup> .....	.....	3120 B .....	3120 B.	
.....	.....	D516–90 .....	3111 B.	.....	
10. Total Dissolved Solids .....	.....	.....	.....	.....	
11. Zinc .....	200.7 <sup>2</sup> .....	.....	.....	.....	
.....	200.8 <sup>2</sup> .....	.....	.....	.....	

The procedures shall be done in accordance with the documents listed below. The incorporation by reference of the following documents was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of the documents may be obtained from the sources listed below. Information regarding obtaining these documents can be obtained from the Safe Drinking Water Hotline at 800–426–4791. Documents may be inspected at EPA's Drinking Water Docket, EPA West, 1301 Constitution Avenue, NW, Room B135, Washington, DC (Telephone: 202–566–2426); or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: [http://www.archives.gov/federal\\_register/code\\_of\\_federal\\_regulations/ibr\\_locations.html](http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html).

<sup>1</sup>“Methods for the Determination of Inorganic Substances in Environmental Samples”, EPA/600/R–93–100, August 1993. Available at NTIS, PB94–120821.

<sup>2</sup>“Methods for the Determination of Metals in Environmental Samples—Supplement I”, EPA/600/R–94–111, May 1994. Available at NTIS, PB 95–125472.

<sup>3</sup>*Annual Book of ASTM Standards*, 1994, 1996, or 1999, Vols. 11.01 and 11.02, ASTM International; any year containing the cited version of the method may be used. Copies may be obtained from ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428. sa

<sup>4</sup>Standard Methods for the Examination of Water and Wastewater, 18th edition (1992), 19th edition (1995), or 20th edition (1998). American Public Health Association, 1015 Fifteenth Street, NW, Washington, DC 20005. The cited methods published in any of these three editions may be used, except that the versions of 3111 B, 3111 D, and 3113 B in the 20th edition may not be used.

<sup>5</sup>Method I–3720–85, *Techniques of Water Resources Investigation of the U.S. Geological Survey*, Book 5, Chapter A–1, 3rd ed., 1989; Available from Information Services, U.S. Geological Survey, Federal Center, Box 25286, Denver, CO 80225–0425.

[44 FR 42198, July 19, 1979, as amended at 53 FR 5147, Feb. 19, 1988; 56 FR 30281, July 1, 1991; 59 FR 62470, Dec. 5, 1994; 64 FR 67466, Dec. 1, 1999; 67 FR 65252, Oct. 23, 2002; 69 FR 18803, Apr. 9, 2004]

## PART 144—UNDERGROUND INJECTION CONTROL PROGRAM

### Subpart A—General Provisions

Sec.

144.1 Purpose and scope of part 144.

144.2 Promulgation of Class II programs for Indian lands.

144.3 Definitions.

144.4 Considerations under Federal law.

144.5 Confidentiality of information.

144.6 Classification of wells.

144.7 Identification of underground sources of drinking water and exempted aquifers.

144.8 Noncompliance and program reporting by the Director.

### Subpart B—General Program Requirements

144.11 Prohibition of unauthorized injection.

144.12 Prohibition of movement of fluid into underground sources of drinking water.

144.13 Prohibition of Class IV wells.

144.14 Requirements for wells injecting hazardous waste.

144.15 [Reserved]

144.16 Waiver of requirement by Director.

144.17 Records.

### Subpart C—Authorization of Underground Injection by Rule

144.21 Existing Class I, II (except enhanced recovery and hydrocarbon storage) and III wells.